State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-290-84

Relating to Certification of New Heavy-Duty Engines and Vehicles

DETROIT DIESEL CORPORATION

Pursuant to the authority vested in the Air Resources Board at Sections 43100, 43101, and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

Pursuant to the December 15, 1998 Settlement Agreement between the Air Resources Board and Detroit Diesel Corporation and any modifications to the Settlement Agreement;

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Detroit Diesel Corporation diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Compressed Natural Gas (CNG) or Liquefied Natural Gas (LNG)

•		placement	Exhaust Emission Control		
<u>Engine Family</u>	<u>Liters</u>	Cubic Inches	Systems and Special Features		
YDDXH12.7FGG	12.7	775	Turbocharger		
(Series 60G-2.5 NOx)			Charge Air Cooler		
,	•		Electronic Control Module		

The engine models and codes are listed on attachments.

BE IT ORDERED AND RESOLVED: That the following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour under the Federal Test Procedure ("FTP") for Heavy-Duty Diesel Engines (Title 13, California Code of Regulations, Section 1956.8):

	Non-Methane	Carbon	Nitrogen	Particulate
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Matter</u>
"FTP"	1.2	15.5	2.5	0.05

BE IT FURTHER RESOLVED: That the following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

DETROIT DIESEL CORPORATION

EXECUTIVE ORDER A-290-84 (Page 2 of 2)

	Non-Methane	Carbon	Nitrogen	Particulate
	Hydrocarbons	<u>Monoxide</u>	Oxides	<u>Matter</u>
"FTP"	0.8	2.0	2.0	0.02

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine models are certified for use in urban buses.

BE IT FURTHER RESOLVED: That the listed engine models are certified to the optional lower-emission NOx standard pursuant to Title 13, California Code of Regulations, Section 1956.8(a)(1).

BE IT FURTHER RESOLVED: That the aforementioned engine family has been conditionally certified subject to the following conditions:

- 1. The Settlement Agreement is in effect.
- 2. The manufacturer is in compliance with all applicable certification requirements of the Settlement Agreement.

Engines certified under this Executive Order must conform to all applicable California emission regulations and to all applicable terms and conditions of the Settlement Agreement.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this ______ day of January 2000.

R. B. Summerfield, Whief

Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

EO: A-290-84

Manufacturer: Detroit Diesel Corporation

Process Code: New Submission

TE, ECM, CAC TE, ECM, CAC 8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930 7 MG **x**ate: mm/stroke@peak torque Series 60G-2.5 6.Torque @ RPM (SEA Gross) 1400@1200 1400@1200 Manufacturer Family Name: 5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only) 116.6 116.6 mm/stroke @ peak HP (for diesel only) 4.Fuel Rate: 3.BHP@RPM (SAE Gross) 330@2100 330@2100 EPA Engine Family: YDDXH12.7FGG 2.Engine Model CNG LNG 1.Engine Code 973 974

103.0

A-290-84

Manufacturer: Detroit Diesel Corporation

EPA Engine Family: YDDXH12.7FGG

3.BHP@RPM (SAE Gross) 2.Engine Model

1.Engine Code

400@2100

LNG

978

Manufacturer Family Name:

Process Code:

4.Fuel Rate: mm/stroke @ peak HP ((for diesel only)

5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)

1450@1200

128.1

6.Torque @ RPM (SEA Gross)

Series 60G-2.5

7 **NG x**ate: mm/stroke@peak torque

8.Fuel Rate: 9.Emission Control (tbs/hr)@peak torque Device Per SAE J1930

ECM

98.5